L Number	Hits	Search Text	DB	Time stamp
1	5039	((370/95.5) or (370/395.51) or (370/395.52) or (370/395.53)	USPAT;	2004/07/29 13:18
		or (370/395.54) or (370/401) or (370/466) or	US-PGPUB;	
		(370/392)).CCLS.	DERWENT	
2	1075250	router brouter bridge gateway interface	USPAT;	2004/07/29 12:47
			US-PGPUB;	
,	118309	atm ethernet	DERWENT USPAT;	2004/07/29 13:21
3	110309	aun eulemet	US-PGPUB;	2004/07/23 13.21
			DERWENT	
4	6432	mpls	USPAT;	2004/07/29 12:50
			US-PGPUB;	, ,
			DERWENT	
5	1751	vlan	USPAT;	2004/07/29 12:48
			US-PGPUB;	
			DERWENT	2004/07/20 42 20
6	2147	vlan or (virtual adj LAN) or (virtual ADJ local ADJ area ADJ	USPAT;	2004/07/29 13:20
		network)	US-PGPUB; DERWENT	
7	303	(vlan or (virtual adj LAN) or (virtual ADJ local ADJ area ADJ	USPAT;	2004/07/29 12:48
′	303	network)) and vian and (atm ethernet) and (router brouter	US-PGPUB;	200 1/07/25 12: 10
		bridge gateway interface) and (((370/95.5) or (370/395.51) or	DERWENT	
		(370/395.52) or (370/395.53) or (370/395.54) or (370/401) or		
		(370/466) or (370/392)).CCLS.)		
9	2915107	table memory storage	USPAT;	2004/07/29 12:48
			US-PGPUB;	
		( les es ( ideal e di LAN) es ( ideal ADI lesel ADI esse ADI	DERWENT	2004/07/20 12:40
8	51	(vlan or (virtual adj LAN) or (virtual ADJ local ADJ area ADJ	USPAT;	2004/07/29 12:48
		network)) and vlan and mpls and (atm ethernet) and (router brouter bridge gateway interface) and (((370/95.5) or	US-PGPUB; DERWENT	
		(370/395.51) or (370/395.52) or (370/395.53) or (370/395.54)	DERWENT	
		or (370/401) or (370/466) or (370/392)).CCLS.)		
10	49	((vlan or (virtual adj LAN) or (virtual ADJ local ADJ area ADJ	USPAT;	2004/07/29 12:48
		network)) and vian and mpls and (atm ethernet) and (router	US-PGPUB;	
		brouter bridge gateway interface) and (((370/95.5) or	DERWENT	
		(370/395.51) or (370/395.52) or (370/395.53) or (370/395.54)		
		or (370/401) or (370/466) or (370/392)).CCLS.)) AND (table		
19	6488	memory storage)	USPAT;	2004/07/29 12:52
19	0400	mpls or (Multiprotocol ADJ Label ADJ Switching)	US-PGPUB;	2004/0//29 12.32
			DERWENT	
20	53	(((370/95.5) or (370/395.51) or (370/395.52) or (370/395.53)	USPAT;	2004/07/29 13:11
		or (370/395.54) or (370/401) or (370/466) or	US-PGPUB;	. ,
		(370/392)).CCLS.) and (router brouter bridge gateway	DERWENT	
		interface) and (vlan or (virtual adj LAN) or (virtual ADJ local	,	
		ADJ area ADJ network)) and (mpls or (Multiprotocol ADJ		
21		Label ADJ Switching)) and (table memory storage)	LICDAT:	2004/07/20 12:12
21	0	("6771662").PN.	USPAT;	2004/07/29 13:12
			US-PGPUB; DERWENT	
22	512	WAKAYAMA.in.	USPAT;	2004/07/29 13:12
			US-PGPUB;	200 1, 0., 25 25.22
			DERWENT	
23	6	WAKAYAMA.in. and (mpls or (Multiprotocol ADJ Label ADJ	USPAT;	2004/07/29 13:12
		Switching))	US-PGPUB;	
			DERWENT	2004/07/20 12 12
24	243	(mpls or (Multiprotocol ADJ Label ADJ Switching)) and	USPAT;	2004/07/29 13:19
		(router brouter bridge gateway interface) and (((370/95.5) or (370/395.51) or (370/395.52) or (370/395.53) or (370/395.54)	US-PGPUB; DERWENT	
		or (370/395.51) or (370/395.52) or (370/395.53) or (370/395.54) or (370/401) or (370/466) or (370/392)).CCLS.)	DEKAAEMI	
<u> </u>	J	O  (3/0/701) O  (3/0/700) O  (3/0/332)).CCL3.)	L	<u> </u>

25	222	((mpls or (Multiprotocol ADJ Label ADJ Switching)) and (router brouter bridge gateway interface) and (((370/95.5) or (370/395.51) or (370/395.52) or (370/395.53) or (370/395.54) or (370/401) or (370/466) or (370/392)).CCLS.)) and (table memory storage)	USPAT; US-PGPUB; DERWENT	2004/07/29 13:19
26	2193	vlan or (virtual adj LAN) or (virtual ADJ local ADJ area ADJ network) or 802.1q	USPAT; US-PGPUB; DERWENT	2004/07/29 13:20
27	179892	atm IP	USPAT; US-PGPUB; DERWENT	2004/07/29 13:21
29	52	((((mpls or (Multiprotocol ADJ Label ADJ Switching)) and (router brouter bridge gateway interface) and (((370/95.5) or (370/395.51) or (370/395.52) or (370/395.53) or (370/395.54) or (370/401) or (370/466) or (370/392)).CCLS.)) and (table memory storage)) and (atm IP)) and (vlan or (virtual adj LAN) or (virtual ADJ local ADJ area ADJ network) or 802.1q)	USPAT; US-PGPUB; DERWENT	2004/07/29 13:22
28	218	(((mpls or (Multiprotocol ADJ Label ADJ Switching)) and (router brouter bridge gateway interface) and (((370/95.5) or (370/395.51) or (370/395.52) or (370/395.53) or (370/395.54) or (370/401) or (370/466) or (370/392)).CCLS.)) and (table memory storage)) and (atm IP)	USPAT; US-PGPUB; DERWENT	2004/07/29 13:22

L Number	_ Hits	Search Text	DB	Time stamp
-	5039	((370/95.5) or (370/395.51) or (370/395.52) or (370/395.53)	USPAT;	2004/07/29 13:18
		or (370/395.54) or (370/401) or (370/466) or	US-PGPUB;	
!		(370/392)).CCLS.	DERWENT	
-	1075250	router brouter bridge gateway interface	USPAT;	2004/07/29 12:47
			US-PGPUB;	
	4.5		DERWENT	2004/07/20 : 5 5 :
-	118309	atm ethernet	USPAT;	2004/07/29 13:21
			US-PGPUB;	
	6422		DERWENT	2004/07/20 12:50
-	6432	mpls	USPAT;	2004/07/29 12:50
			US-PGPUB;	
	1751		DERWENT	2004/07/20 12:49
-	1751	vlan	USPAT;	2004/07/29 12:48
			US-PGPUB; DERWENT	
<u> </u>	2147	vlan or (virtual adj LAN) or (virtual ADJ local ADJ area ADJ	USPAT;	2004/07/29 13:20
-	214/	network)	US-PGPUB;	2007/07/23 13:20
		HELVYOIN)	DERWENT	
_	303	(vlan or (virtual adj LAN) or (virtual ADJ local ADJ area ADJ	USPAT;	2004/07/29 12:48
	303	network)) and vian and (atm ethernet) and (router brouter	US-PGPUB;	230 1/07/23 12.10
		bridge gateway interface) and (((370/95.5) or (370/395.51) or	DERWENT	
		(370/395.52) or (370/395.53) or (370/401) or		
		(370/466) or (370/392)).CCLS.)		
-	2915107	table memory storage	USPAT;	2004/07/29 12:48
			US-PGPUB;	
			DERWENT	
-	51	(vlan or (virtual adj LAN) or (virtual ADJ local ADJ area ADJ	USPAT;	2004/07/29 12:48
		network)) and vian and mpls and (atm ethernet) and (router	US-PGPUB;	, ,
		brouter bridge gateway interface) and (((370/95.5) or	DERWENT	
		(370/395.51) or (370/395.52) or (370/395.53) or (370/395.54)		
		or (370/401) or (370/466) or (370/392)).CCLS.)		
-	49	((vlan or (virtual adj LAN) or (virtual ADJ local ADJ area ADJ	USPAT;	2004/07/29 12:48
		network)) and vian and mpls and (atm ethernet) and (router	US-PGPUB;	
		brouter bridge gateway interface) and (((370/95.5) or	DERWENT	
		(370/395.51) or (370/395.52) or (370/395.53) or (370/395.54)		
		or (370/401) or (370/466) or (370/392)).CCLS.)) AND (table		
	6400	memory storage)	LICDATE	2004/07/20 42 52
-	6488	mpls or (Multiprotocol ADJ Label ADJ Switching)	USPAT;	2004/07/29 12:52
1			US-PGPUB;	
	53	///270/05 5) or /270/205 51) or /270/205 52) or /270/205 52)	DERWENT	2004/07/29 13:11
-	53	(((370/95.5) or (370/395.51) or (370/395.52) or (370/395.53) or (370/395.54) or (370/401) or (370/466) or	USPAT; US-PGPUB;	2004/0//29 13:11
		(370/392)).CCLS.) and (router brouter bridge gateway	DERWENT	
		interface) and (vian or (virtual adj LAN) or (virtual ADJ local	DEIXAFIAI	
		ADJ area ADJ network)) and (mpls or (Multiprotocol ADJ	1	
		Label ADJ Switching)) and (table memory storage)	1	
-	0	("6771662").PN.	USPAT;	2004/07/29 13:12
		( /	US-PGPUB;	
			DERWENT	
-	512	WAKAYAMA.in.	USPAT;	2004/07/29 13:12
			US-PGPUB;	. ,
			DERWENT	
-	6	WAKAYAMA.in. and (mpls or (Multiprotocol ADJ Label ADJ	USPAT;	2004/07/29 13:12
		Switching))	US-PGPUB;	
			DERWENT	
-	243	(mpls or (Multiprotocol ADJ Label ADJ Switching)) and	USPAT;	2004/07/29 13:19
		(router brouter bridge gateway interface) and (((370/95.5) or	US-PGPUB;	
		(370/395.51) or (370/395.52) or (370/395.53) or (370/395.54)	DERWENT	
		or (370/401) or (370/466) or (370/392)).CCLS.)	1	

	<del></del>			<del></del>
-	222	1 (	USPAT;	2004/07/29 13:19
		(router brouter bridge gateway interface) and (((370/95.5) or	US-PGPUB;	
		(370/395.51) or (370/395.52) or (370/395.53) or (370/395.54)	DERWENT	
		or (370/401) or (370/466) or (370/392)).CCLS.)) and (table		
		memory storage)		
1_	2193	vlan or (virtual adj LAN) or (virtual ADJ local ADJ area ADJ	USPAT;	2004/07/29 13:20
-	2193	network) or 802.1q	US-PGPUB;	200 1/0//23 13.20
		Hetwork) or 602.14	DERWENT	
1	470000			2004/07/20 12:21
-	179892	atm IP	USPAT;	2004/07/29 13:21
			US-PGPUB;	
	1		DERWENT	
-	52	((((mpls or (Multiprotocol ADJ Label ADJ Switching)) and	USPAT;	2004/07/29 13:22
		(router brouter bridge gateway interface) and (((370/95.5) or	US-PGPUB;	
		(370/395.51) or (370/395.52) or (370/395.53) or (370/395.54)	DERWENT	
		or (370/401) or (370/466) or (370/392)).CCLS.)) and (table	ĺ	
		memory storage)) and (atm IP)) and (vlan or (virtual adj LAN)		
		or (virtual ADJ local ADJ area ADJ network) or 802.1q)		
l _	218	1 ,	USPAT;	2004/07/29 13:22
	210	(router brouter bridge gateway interface) and (((370/95.5) or	US-PGPUB;	200 1/07/23 23:22
		(370/395.51) or (370/395.52) or (370/395.53) or (370/395.54)	DERWENT	
			DEKAACIAI	
		or (370/401) or (370/466) or (370/392)).CCLS.)) and (table		
	1	memory storage)) and (atm IP)	<u> </u>	1

L Number	Hits	Search Text	DB	Time stamp
1	5039	((370/95.5) or (370/395.51) or (370/395.52) or (370/395.53)	USPAT;	2004/07/29 11:41
		or (370/395.54) or (370/401) or (370/466) or	US-PGPUB;	
		(370/392)).CCLS.	DERWENT	
2	1075250	router brouter bridge gateway interface	USPAT;	2004/07/29 11:42
			US-PGPUB;	
_			DERWENT	
3	118309	atm ethernet	USPAT;	2004/07/29 11:42
			US-PGPUB;	
	6422		DERWENT	2004/07/20 11:42
4	6432	mpls	USPAT;	2004/07/29 11:42
			US-PGPUB; DERWENT	
5	1751	vlan	USPAT;	2004/07/29 11:43
3	1/31	Vidii	US-PGPUB;	2004/07/23 11.43
			DERWENT	
6	2147	vlan or (virtual adj LAN) or (virtual ADJ local ADJ area ADJ	USPAT;	2004/07/29 11:44
"	2117	network)	US-PGPUB;	2001/07/23 11:11
		, native in	DERWENT	
7	303	(vlan or (virtual adj LAN) or (virtual ADJ local ADJ area ADJ	USPAT;	2004/07/29 11:45
		network)) and vlan and (atm ethernet) and (router brouter	US-PGPUB;	. ,
		bridge gateway interface) and (((370/95.5) or (370/395.51) or	DERWENT	
		(370/395.52) or (370/395.53) or (370/395.54) or (370/401) or		
		(370/466) or (370/392)).CCLS.)		
8	51	(vlan or (virtual adj LAN) or (virtual ADJ local ADJ area ADJ	USPAT;	2004/07/29 12:08
		network)) and vian and mpls and (atm ethernet) and (router	US-PGPUB;	
		brouter bridge gateway interface) and (((370/95.5) or	DERWENT	
		(370/395.51) or (370/395.52) or (370/395.53) or (370/395.54)		
		or (370/401) or (370/466) or (370/392)).CCLS.)		2004/07/20 42 44
9	2915107	table memory storage	USPAT;	2004/07/29 12:11
			US-PGPUB;	
10	49	((vlan or (virtual adj LAN) or (virtual ADJ local ADJ area ADJ	DERWENT USPAT;	2004/07/29 12:12
10	\ <del>1</del> 3	network)) and vian and mpls and (atm ethernet) and (router	US-PGPUB;	2007/0//29 12.12
		brouter bridge gateway interface) and (((370/95.5) or	DERWENT	
		(370/395.51) or (370/395.52) or (370/395.53) or (370/395.54)	DEIXAGENT	
		or (370/401) or (370/466) or (370/392)).CCLS.)) AND (table		
		memory storage)		